

In vitro human-relevant glioblastoma models as the novel frontier of nanomedicine screening

A. Bezze,^{1,2,3} G. Ciardelli,^{1,2,3} C. Mattu^{1,2,3}

¹PolitoBIOMed Lab - Politecnico di Torino; ²Department of Mechanical and Aerospace Engineering - Politecnico di Torino; ³Centro 3R, Interuniversity Center for the Promotion of the 3R Principles in Teaching and Research, Pisa, Italy

The highly heterogeneous Tumor Microenvironment (TME), the stiff Extracellular Matrix (ECM) and the Blood Brain Barrier (BBB) hinder treatment efficacy against Glioblastoma (GBM). Hence, the preclinical evaluation of novel drug delivery platforms is key in GBM management. Currently, drug screening relies on animal studies or *in vitro* models, which do not fully replicate GBM complexity. To fill this gap, this study aims to develop a human-relevant GBM model to investigate the efficacy of Nanoparticles (NPs)-based drug delivery systems.

Multicellular Tumor Spheroids (MTS) were prepared by mixing different cell types at varying ratios (*e.g.*, tumor cells,

microglia, and GBM-Stem Cells) to model GBM composition and embedded in polymeric hydrogels resembling the main properties of GBM ECM. MTS infiltration capacity and viability were assessed on the model following treatment with polyurethane NPs for the controlled release of Bortezomib (BTZ), a proteasome inhibitor. The results confirm that BTZ can reduce tumor proliferation and infiltration in ECM-like gels, with the effect depending on the cellular composition.

To verify NPs extravasation across brain capillaries, a vascular network was inducted into the MTS through a commercial microfluidic platform, using brain capillary endothelial cells. Immunostaining and perfusion assays were performed to analyze microvessels properties. CD31-staining showed the homogeneous presence of endothelial cells forming tight junctions (confirmed by ZO-1 staining). Fluorescent NPs injected in the channels were retained without extravasation, confirming previous *in vivo* observations.

This model represents a prototype for a 3R-compliant replica of GBM microenvironment, combining key cell actors, biomimetic materials, and an *in vitro* brain microvasculature. The promising results suggest the possibility to increase model complexity, *e.g.*, by including pericytes and astrocytes, to provide a reliable tool for nanomedicine screening.

Correspondence: A. Bezze E-mail: andrea.bezze@polito.it

Conference presentation: this paper was presented at the Fourth Centro 3R Annual Meeting - The role of 3Rs in the age of One Health: where we are and where we're going - 13-15 September 2023, Università degli Studi Milano-Bicocca.

©Copyright: the Author(s), 2023 Licensee PAGEPress, Italy Biomedical Science and Engineering 2023; 4:222 doi:10.4081/bse.2023.222

This article is distributed under the terms of the Creative Commons Attribution Noncommercial License (by-nc 4.0) which permits any noncommercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited.

Publisher's note: all claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.